


T5S RAW. 2nd Mer.

451	451	450	450	449	449	
6	121	5	116	4	112	3
120	120	115	112	108	105	1
7	120	8	115	9	111	10
119	119	115	111	107	104	12
18	119	17	114	16	111	15
119	118	114	110	107	103	13
19	118	20	114	21	110	22
117	118	113	110	106	103	24
30	117	29	113	28	109	27
117	116	113	109	106	102	25
31	116	32	112	33	109	34
100	101	101	101	100	100	100

T6S RAW. 2nd Mer.



East Boundary

South On the E. boundary of Sec. 1, T. 6 S. R. 4 W, Sept. 18. 1805
25.00 an Ash 24 in. diam.

40.00 At the q. Sec. post, from which
a Beech 12 in. diam. bears N 24 E 25 lks. dist. of
a Do 10 " " " S 26 W 34 " "

53.50 a W. Oak 30 in. diam.

80.00 At a post Cor. to Sec. 1, 12, T. 6 S. R. 4 W, from which
a Beech 8 in. diam. bears N 72 E 50 lks. dist. of
a W. Oak 10 " " " S 74 W 35 " "

This mile is rich rolling land; timber Beech, Poplar,
+ ash; undergrowth Spice.

South On E. boundary of Sec. 12; T. 6 S. R. 4 W

26.50 a Sugar tree 18 in. diam.

31.00 to Anderson's River 200 lks. wide; runs N 35 W

40.00 At the q. Sec. post, from which
a Beech 24 in. diam. bears N 30 W 39 lks. dist. of
an Elm 8 " " " S 55 E 34 " "

55.00 a Beech 10 in. diam.

80.00 At a post Cor. to Sec. 12 & 13, T. 6 S. R. 4 W, from which
a Beech 10 in. diam. bears N 45 E 35 lks. dist. of
a Do 8 " " " S 31 W 10 " "

This mile is rich rolling land; timber Beech & Pop-
lar; undergth is Spice

South On E. boundary of Sec. 13. T. 6 S. R. 4 W.

27.00 an Ash 24 in. diam.

40.00 At the q. Sec. post, from which
a Beech 12 in. diam. bears S 75 E 17 lks. dist. of
a Poplar 28 " " " S 70 W 27 " "

71.00 Intersected the Ohio river at a post Cor. to Section
13, T. 6 S. R. 4 W 2nd Mer. from which

an Elm 8 in. diam. bears S 80 W 15 lks. dist. of
a Sugar tree 12 " " " N 47 E 37 " "

This mile is rich rolling land; timber, Beech, Sugar,

S. S. R. & M. D. Mer. Indiana

Elm; undgth is Spice and Pawpaw.

Surveyed by

Elias Rector, D. S.

North Boundary

East On Random between Towns 5 & 6 S. R. 4 M

40.00 Set temp^y. g. Sec. post. The soil on this half mile is good for farming, timber Oak, undgth Spice

62.70 Over the heads of hollows small rises in the land to brook 100 yds. wide C. S. E.

80.00 Set temp^y. Sec. post. Small hills kind of rolling land; timber W. Oak, undgth Sassafras

East 2^d Mile On Random between Towns 5 & 6 S. R. 4 M

40.00 Set temp^y. g. Sec. post. Land level and rich, timber, Walnut, ash & W. Oak, undgth Spicewood

80.00 Set temp^y. Sec. post. Land level & rich, timber Sugar tree, Beech and W. Oak, soil whitish in the Year.

East 3^d Mile On Random between Towns 5 & 6 S. R. 4 M

6.25 a Brook 50 yds. wide C. S.

11.30 the same brook running N. W.

18.55 the same brook " S. E.

21.30 the same brook course N.

26.30 the same brook " S. W.

40.00 Set temp^y. g. Sec. post. Land rich & level timber Beech.

80.00 Set temp^y. Sec. post. This last half mile is over beautiful farming land, timber Beech, Hickory and W. Oak.

East On 4th Mile Random between Towns 5 & 6 S. R. 4 M

8.80 a Brook 25 yds. wide Course South

40.00 Set temp^y. g. Sec. post

80.00 Set temp^y. Sec. post

S. 6 S. 1 R. 4 N. 2nd Mer. Indiana

on the north side of a ridge. Land hillij timber
W. Oak & Hickory.

East 5th Mile On Random between Towns 5 & 6 S. 1 R. 4 N
24.30 to the top of a poor ridge leading S. W. & N. E.

40.00 Set temp. q. Sec. post. This half mile is over poor
South points.

76.05 a Brook 25 lks. wide course South

80.00 Set temp. Section post. Land broken & thin timber
W. Oak

East 6th Mile On Random between Towns 5 & 6 S. 1 R. 4 N

40.00 Set temp. q. Sec. post

81.00 Intersected the North and South line 300 lks. South
of the post Cov. to Sec. 36, T 5 S. 1 R. 4 N. & Sec. 30 (31.)
T 5 S. 1 R. 3 N. On this mile soil thin and broken
timber W. Oak

West 1st Mile on true line betw. Towns 5 & 6 S. 1 Range 4 N

40.00 Moved temp. q. Sec. post & set it on true line from which
a W. Oak 30 in. diam. bears N 59 E 24 lks. dist. &
a Do 6 " " " N 67 W 5 " "

80.00 Moved temp. Sec. post & set it on true line Cov. to Sec. 35
& 36, T 5 S. 1 R. 4 N, from which

a Beech 24 in. diam. bears N 69 E. 59 lks. dist. &

a Sugar tree 20 " " " N 25 W 68 " "

West 2nd Mile On true line between Towns 5 & 6 S. 1 Range 4 N

40.00 Moved temp. q. Sec. post, & set it on true line from which

a W. Oak 18 in. diam. bears N 72 E 13 lks. dist. &

a Do 10 " " " N 16 E 18 " "

80.00 More Sec. post on true line Cov. to Sec. 34 & 35, T 5 S. 1 R. 4
West. from which a

W. Oak 5 in diam. bears N 43 E 8 lks. dist. & a

Hickory 15 " " " N 65 E 23 " "

S. 1. R. 4 W. 2. Mer. Indiana

West 3^d mile on true line betw. Towns 5 & 6 S. R. 4 W.
 40.00 Move temp. q. Sec. post on true line, from which
 a W. Oak 6 mi. diar. bears N 37 E 6 1/2 lks. dist. &
 a B. Oak 7 " " " N 29 W 42 " "
 80.00 Move temp. Sec. post on true line Cor. to Sec. 33 & 34
 S. 1. R. 4 W. from which
 a Dogwood 5 mi. diar. bears N 45 E 10 lks. dist. &
 a Beech 24 " " " N 39 W 50 " "

West 4th mile on true line betw. Towns 5 & 6 S. R. 4 W.
 40.00 Set the temp. q. Sec. post on true line, from which
 a Beech 20 mi. diar. bears N 73 E 36 lks. dist. &
 an Ash 30 " " " N 7 1/2 E 49 " "
 80.00 Move temp. Sec. ^{post} on true line for Cor. of Sec. 32 & 33
 S. 1. R. 4 W. from which
 a W. Oak 10 mi. diar. bears S 80 E 5 lks. dist. &
 a Do 5 " " " N 76 W 12 " "

West 5th mile on true line betw. Towns 5 & 6 S. R. 4 W.
 40.00 Set the q. Sec. post on true line, from which
 a Gum 6 mi. diar. bears N 19 E 16 lks. dist. &
 a W. Oak 5 " " " S 26 W 12 " "
 80.00 Set a post on true line Cor. to Sec. 31 & 32, S. 1. Range
 4 West, from which a
 W. Oak 20 mi. diar. bears S 60 E 15 lks. dist. & a
 Do 10 " " " North 25 " "

West 6th mile on true line betw. Towns 5 & 6 S. R. 4 W.
 40.00 Set the q. Sec. post on true line, from which
 a W. Oak 20 mi. diar. bears N 70 E 30 lks. dist. &
 a Do 24 " " " N 63 W 32 " "
 81.00 to the post Cor. to Towns 5 & 6 S. Range 4 & 5 W.

West Boundary
 South 1st mile betw. Towns 6 & 7 S. Range 4 & 5 W.
 2.00 a brook 20 lks. wide Course S. E.

40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bears S 72 1/4 W 14 lbs. dist. 7
a W. Oak 15 " " " N 43 1/2 E 24 " "

41.50 a B. Oak 18 in. dia.

50.00 a Brook 10 lbs. wide, course East

53.00 a Spanish Oak 20 in. dia.

71.44 a W. Oak 20 in. dia.

80.00 At a post Cor. to Sec. 14 & 2, T. 6 S. R. 5 W., from which
a Hickory 10 in. dia. bears N 71 E 20 lbs. dist. 7
a Sweet Gum 12 " " " N 28 W 40 " "

Thin Soil, timber W. Oak & Hickory

South 2^d. Mile between Towns 6 S. Ranges 4 & 5 W

40.00 At the q. Sec. post, from which
a B. Oak 30 in. dia. bears S 62 1/2 W 20 lbs. dist. 7
a W. Oak 12 " " " N 32 E 28 " "

41.30 a W. Oak 36 in. dia.

80.00 At a post Cor. to Sec. 12 & 13, T. 6 S. R. 5 W., from which
a W. Oak 20 in. dia. bears N 8 W 12 lbs. dist. 7
a Ho 24 " " " N 49 W 17 " "

The land on this mile is thin timber W. Oak & Hickory; undergth Logwood and Sassafras intermixed with Pines.

South 3^d. Mile between Towns 6 S. Ranges 4 & 5 W.

23.65 a W. Oak 10 in. dia.

40.00 At the q. Sec. post, from which
a B. Oak 24 in. dia. bears N 23 W 11 lbs. dist. 7
a W. Oak 15 " " " S 34 W 35 " "

80.00 At a post Cor. to Sec. 13 & 24, T. 6 S. R. 5 W., from which
a Angar tree - in. dia. bears N 70 E 11 lbs. dist. 7
a Beech 24 " " " S 9 W 35 " "

The land on this mile is hilly; timber W. & B. Oak & Hickory, Angar tree & Beech, undergth Spicewood

South 4th. Mile between Towns 6 S. Ranges 4 & 5 W

T6S-124W. 2^d. Mer. Indiana

- 11.65 a Brook 10 lks. wide Course —
 40.00 Set the q. Sec. post, from which
 a Sugar tree 15 in. diam. bears N 67 E 29 lks. dist. &
 a W. Ash 20 " " " N 67 W 33 " "
 Silly Soil, timber W. Oak & Beech
 80.00 Set a post Cor. to Sec. 24 & 25, T6S, R5W, from which
 a W. Ash 15 in. diam. bears S 56 E 23 lks. dist. &
 a Do — " " " N 84 W 25 " "
 Flat land, timber Hickory, Ash, and Beech.

- South 5th mile between Towns 6S, Range 4 & 5 W
 4.08 a Hickory 28 in. diam.
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. diam. bears N 74 W 18 lks. dist. &
 a Do 30 " " " S 49 E 32 " "
 55.50 a Hickory 20 in. diam.
 80.00 Set a post Cor. to Sec. 25 & 36, T6S, R5W, from which
 a Beech 30 in. diam. bears S 22 W 33 lks. dist. &
 a W. Oak 10 " " " N 23 W 30 " "
 Flat level Soil, timber principally Beech & under-
 brush Cane.

- South 6th mile between Towns 6S, Range 4 & 5 W
 35.83 To a line 80 lks. wide, Course E & W.
 40.00 Set the q. Sec. post, from which a
 Buckeye 10 in. diam. bears S 85 E 5 lks. dist. &
 a Hickory 12 " " " N 74 W 31 " "
 69.00 Set a post Cor. of Sec. 36, T6S, R5W, Sec 31, T6S, R4W
 on the Ohio bank, from which a
 Hackberry 12 in. diam. bears N 77 E 15 lks. dist. &
 a Box Elder 8 " " " S 77 W 13 " "
 On this mile is very rich land; timber Beech,
 Hickory & Hackberry, underbrush Cane and that
 very thick Oct. 29th 1805
 Surveyed by Arthur Murrie L. S.

Ch. Ls.

Subdivision.

South Between Sec. 1 & 2, T6S R4W

- 6.50 a brook 15 lks. wide Cr. S.E.
 15.00 to the same brook Cr. S.E.
 24.30 a W. Oak 36 in. dia.
 40.00 Let the q. Sec. post, from which
 a Hickory 30 in. dia. bears N48°W 25 lks. dist. &
 a W. Oak 20 " " " S41°E 31 " "
 62.00 a Brook 10 lks. wide Course East
 80.00 Let a post Cor. to Sec. 1, 2, 11 & 12, T6S R4W. from which
 a W. Oak 10 in. dia. bears S87°W — lks. dist. &
 a W. Oak 15 " " " N47°E 26 1/2 " "
 Soil. Brook second rate, Timber W. Oak, Poplar
 & Hickory.

East On Random between Sec. 1 & 12

- 30.00 a Brook 20 lks. wide Course South
 40.00 Let temp. q. Sec. post. The land on this 1/2 mile
 is broken, middling Soil, timber W. Oak, Hickory & Beech.
 80.50 Intersected the N & S. line 70 lks. of Sec. Corner
 Level good farming Soil, timber Beech & Hickory

West Corrected between Sec. 1 & 12

- 40.25 Let q. Sec. post at average dist. on true line, from which
 a Beech 6 in. dia. bears N39 1/2°E 39 lks. dist. &
 a Maple 24 " " " S70°W 65 " "
 80.50 Section Corner

South Between Sec. 11 & 12, T6S R4W

- 40.00 Let the q. Sec. post, from which
 a Hickory 20 in. dia. bears N25°W 18 lks. dist. &
 a W. Oak 30 " " " S33 1/2°W 10 1/2 " "
 80.00 Let a post Cor. to Sec. 11, 12, 13 & 14, from which

T6 S. R4 W. 2^d. Mer. Indianach^d. Mer.

a Spruce 10 in. diam. bears N74 W 16 lbs. dist. 7

a Gum 12 " " " S45 E 30 " "

Rich & Broken Soil, timber N & B. Oak, Walnut,
Poplar, undergth Spicewood

East On Random between Secs. 12 & 13

18.27 to Anderson's River where it is 212 lbs. wide

Slow Current (S.W.)

40.00 Set temporary g^r. Sec. post

80.00 Intersected the N & S. line at the Section Corner

Land rich & middling level, timber Beech under-
bush Spicewood and Beech.

West Corrected between Sections 12 & 13

40.00 established g^r. Sec. post at av^g. dist. on true line from which

a Beech 24 in. diam. bears S81 W 28 lbs. dist. 7

a Do 10 " " " N81 E 10 1/2 " "

80.00 Section Corner.

South Between Secs. 13 & 14, T6 S. R4 W

5.50 to Anderson's River where it is 250 lbs. wide (est. S.W.)

21.50 Set a post on the Ohio Bank, from which

a Beech 10 in. diam. bears N60 E 19 lbs. dist. 7

an Elm 24 " " " S30 W 41 " "

Soil rich & level, timber Beech, Sugar tree & ash

November 17th 1805

South Between Secs. 2 & 3, T6 S. R4 W

4.35 a B. Oak 18 in. diam.

32.25 a Brook 10 lbs. wide Cr. S.E.

34.50 Same Brook " " " S.W.

40.00 Set the g^r. Sec. post, from which

a W. Oak 10 in. diam. bears N2. W. W 22 lbs. dist. 7

Ch^d. 1/2 m.

- a Sugar tree 15 in. dia. brans N 19 E 36 1/2 lks. dist.
 47.50 Same Brook Course S.E.
 54.40 Same Brook Course S.W.
 80.00 Set a post cor. to Sec^s. 2, 3, 10 & 11, from which
 a Hickory 24 in. dia. brans S 49 W 7 lks. dist. &
 a White Ash 10 " " " S 77 E 6 3/4 " "
 Soil middling but very broken, timber W. Oak and
 Hickory, underbrush Hognwood & Hickory.

East On Random between Sec^s. 11 & 12

- 40.00 Set temp^y. q. Sec. post
 81.00 Intersected the N.W. line 80 lks. S. of Sec. Corner
 Very hilly (middling soil, timber W. Oak & Hickory.

West Corrected between Sec^s. 12 & 11

- 40.50 Set q. Sec. post at arg^y. dist. on true line, from which
 a W. Oak 10 in. dia. brans S 5 W 15 lks. dist. &
 a Do 15 " " " N 29 W 30 " "
 81.00 Section Corner.

South Between Sec^s. 10 & 11, T6S. 124 W

- 40.00 Set the q. Sec. post, from which
 a W. Oak 24 in. dia. brans N 83 W 33 lks. dist. &
 a Hickory 10 " " " N 65 E 19 " "
 80.00 Set a post cor. to Sec^s. 10, 11, 14 & 15, from which
 a Beech 24 in. dia. brans N 38 1/2 W 25 lks. dist. &
 an Ash 10 " " " S 59 E 31 1/2 " "
 Soil very broken & rich timber Beech

East On Random between Sec^s. 11 & 14

- 17.00 a Brook 4 lks. wide cr. South
 40.00 Set temp^y. q. Sec. post
 60.00 to a Cliff of rocks about 50 feet high perpendicular

T6 S R4 W. 2^d. Mer. Indianach^d. Crp.

66.00 a Brook 10 lks. wide Course S. W.

81.00 Intersected the N. & S. line 80 lks. S. of Sec. Corner
 The land on this mile is very broken & rich, timb:
 Beech, Hickory, Ash & Sugar tree

West Connected between Sec^s. 11 & 14

40.50 Set of Sec. post at avg^d. dist. on true line, from which
 a Mulberry 15 in. diam. bears N 87° W 20 lks. dist. &
 a Beech 10 " " " S 49° E 26 " "

81.00 Section Corner.

South Between Sec^s. N^o. 14 & 15, T6 S. R4 W

31.00 Set a post on the Ohio bank, from which
 a W. Oak 20 in. diam. bears S 72° E 7 lks. dist. &
 a Do 10 " " " N 31° W 33 " "

This line is over rich land, but very broken, hills
 steep, timber Beech, Hickory, W. Oak, ash, Sugar
 and Walnut, underg^d. Spicewood, Dogwood, Beech
 & Hickory. November 18th 1805

South Between Sec^s. N^o. 3 & 4, T6 S. R4 W

2.70 a Poplar 20 in. diam.

40.00 to a W. Oak 12 in. diam. Marked for of Sec. Cor.

Land rich good for farming, timb. Beech & W. Oak

70.25 a Brook 10 lks. wide Cr. S. W.

80.00 Set a post Corner to Sec^s. 3, 4, 9 & 10, from which
 a W. Oak 25 in. diam. bears N 30° W 28 lks. dist. &
 a Do 36 " " " S 16° W 32 " "

Land level & rich, timber W. Oak, Hickory & Beech
 underbrush Spicewood.

East On Random between Sec^s. 3 & 1040.00 Set temp^y. of Sec. post

T6S R4W. 2nd Mer. Indiana

133

chs. lks.

50.00 a Brook 10 lks. wide Course South

80.00 Intersected the N & S. line 80 lks. S. of Sec. Corner
Land broken & brushy, timber White Oak, Hickory & B. Oak

Met Corrected between Sec. 3 & 10

40.00 Set temp. q. Sec. post at average distance on
true line, from which

a W. Oak 15 in. diam. bears S 25° W 18 lks. dist. &

a Hickory 8 " " " N 36° W 14 " "

80.00 Section Corner

South Between Sec. 9 & 10, T6S R4W

4.50 a Brook 100 lks. wide Cr. S 19° E

29.50 Same Brook " " " S. W.

40.00 Set the q. Sec. post, from which

a Poplar 24 in. diam. bears N 48° W 19 lks. dist. &

a Beech 10 " " " S 36° E 28 " "

80.00 Set a post cor. to Sec. 9, 10, 15 & 16, from which

a Beech 10 in. diam. bears N 69° W 20 lks. dist. &

a Sugar tree 10 " " " S 87° E 24 " "

Rich farming land

East On Random between Sec. 10 & 15

27.20 a Brook 8 lks. wide Course South

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S. line 60 lks. South of Sec. Cor.

The land on this mile is very broken and rich
timber Sugar tree & Beech, underbrush Spicewood.

Met Corrected between Sec. 10 & 15

40.00 Set temp. q. Sec. post at average distance on true line
for 1/4 Sec. Corner, from which

a Beech 15 in. diam. bears N 71° W 9 1/2 lks. dist. &

S6 S. R4 W. 2^d. Mer. Indiana

ch. lks.

a Beech 10 in. diam. bears S 75 E 40 lks. dist.

80.00 Section Corner

South Between Sect. N^o. 15 & 16, S6 S. R4 W

22.91 a Beech 15 in. diam.

40.00 At the q. Sec. post, from which

a White Ash 24 in. diam. bears N 34 E 10 lks. dist. of

a Sugar tree 10 " " " S 2 W 21 " "

44.50 to Crooked Creek where it is 150 lks. wide Cr. S. E.

58.65 At a post Cor. of Sect. 15 & 16, on the Ohio bank, from
which an Elm 24 in. diam. bears N 24 E 29 lks. dist. of

an Ash 20 " " " N 56 W 44 " "

Land Rich & level lies convenient for farming
timber N. Oak, Hickory, Walnut, Elm, Sugar tree,
Ash & Maple, underg^d. Sprucewood. Nov. 19th. 1805

South Between Sect. 4 & 5, S6 S. R4 W

6.30 a Hickory 15 in. diam.

35.00 a Brook 15 lks. wide Course West

40.00 At the q. Sec. post, from which

a Beech 15 in. diam. bears N 71 W 30 lks. dist. of

a Do 10 " " " S 20 W 31 " "

53.50 a Brook 100 lks. wide Course S. E.

80.00 At a post Cor. to Sect. 4, 5, 8 & 9, from which

a B. Oak 30 in. diam. bears S 48 E 3 lks. dist. of

a W. Oak 12 " " " N 5 W 41 " "

Good farming land timber N. Oak, Hickory & Beech.

East On Random between Sect. N^o. 4 & 9

21.00 a Brook 100 lks. wide Course S. E.

40.00 At temp^y. q. Sec. post

58.00 Same brook Course N. E.

78.00 Same brook Course S. E.

ch. lks.

80.00 Intersected the N & S. line 55 lks. South of Sec. Cor
Land on this mile rich & hilly, timber Beech, hick-
ory W & B. Oak

West Corrected between Sec. 4 & 9

40.00 Set of Sec. post on true line at adj. dist. from which
a Beech 10 in. diam. bears S 9 E 26 lks. dist. of
a Sugar tree 8 " " " N 26.30 W 32 1/2 " "

80.00 Section Corner.

South Between Sec. 8 & 9, S. S. R. 4th

39.00 a B. Oak 30 in. diam.

40.00 Set the q. Sec. post, from which
an Elm 5 in. diam. bears N 6 1/2 W 7 lks. dist. of
a W. Oak 15 " " " S 17 E 36 " "

58.09 a B. Oak 20 in. diam.

61.80 a Brook 15 lks. wide Course S. E.

80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 10 in. diam. bears N 6 E 10 lks. dist. of
a Elm 10 " " " S 10 E 10 " "
Land level and rich

East On Random between Sec. 9 & 16

19.25 a Brook 15 lks. wide Course S

40.00 Set temp. q. Sec. post

52.70 a Brook 100 lks. wide C. S. South

63.58 a Brook - " " " S W. (small)

80.00 Intersected the N & S. line 53 lks. South of Sec. Corner
Land hilly, timber Beech, hickory, Sugar tree, undg. Spruce

West Corrected between Sec. 9 & 16

40.00 Set q. Sec. post at adj. dist. on true line, from which
a Beech 10 in. diam. bears S 35 W 1 1/2 lks. dist. of

T6S R4W. 2nd Mer. Indianach^d. lks.

a Beech 15 in. diam. bears N 67 1/2 E 24 lks. dist.
80.00 Section Corner

South Between Sec^s. N^o. 16 & 17, T6S R4W

40.00 Set the g. Sec. post, from which

a Beech 10 in. diam. bears N 31 1/2 E 20 lks. dist. &

a Hickory 30 " " " S 39 W 20 " "

54.00 to Crooked Creek 150 lks. wide Cr. S 10 W, current middling rapid Convenient for a mill.

80.00 Set a post Cor. to Sec^s. 16, 17, 20 & 21, from which

a Beech 30 in. diam. bears S 87 1/2 E 15 1/2 lks. dist. &

an Elm 30 " " " N 59 W 9 " "

Land rich & level, timber Beech, Sugar tree and
Ash under brush Spice wood

East Between Sec^s. N^o. 16 & 21, T6S R4W

19.50 Crooked Creek 150 lks. wide Cr. N 10 E

40.00 Set the g. Sec. post, from which

a Beech 20 in. diam. bears S 30 W 26 lks. dist. &

an Elm 30 " " " N 12 E 29 " "

42.00 Set a post on the Ohio bank, from which

a Beech 30 in. diam. bears N 7 E 30 lks. dist. &

a W. Ash 15 " " " S 7 W 3 1/2 " "

Land rich and level, timber Beech, Sugar tree,
& Covered with Cane.

South Between Sec^s. N^o. 20 & 21, T6S R4W

27.00 Crooked Creek 150 lks. wide Course N 30 E

40.00 Set the g. Sec. post, from which

a Hackberry 20 in. diam. bears S 3 1/2 W 20 lks. dist. &

a W. Ash 4 " " " N 83 E 12 " "

43.86 Set a post on the Ohio bank, from which

a Hackberry 10 in. diam. bears N 16 1/2 E 31 lks. dist. &

T6S R4W. 2^d. Mer. Indiana

137

chr. lks.

a Pawpaw 5 mi. dia. bear N40^W 22¹/₂ lks. dist. of
Land rich and covered with cane. Nov. 20th 1805

South Between Sec. N^o. 5 & 6, T6S. R4W

14.00 a Brook 15 lks. wide Cr. S.E.

26.00 a do 15 " " S.E.

40.00 At the gr. Sec. post, from which

a Hickory 15 mi. dia. bear N14^W 14 lks. dist. of

a do 9 " " S55 E20 " "

58.00 a Brook 10 lks. wide Course East

80.00 At a post corner to Sec. 5, 6, 7 & 8, from which

a W. Oak 7 mi. dia. bear N7¹/₂W 3 lks. dist. of

a B. Oak 20 " " S85 E39 " "

Land rich & broken, timber W. Oak, Hickory & Beech

East Owl Land between Sec. 5 & 8

40.00 At temp. gr. Sec. post

81.00 Intersected the E. boundary 7 lks. S. of Sec. Corner
The land on this side is very hilly thin soil
Timber W. Oak & Hickory.

West Connected between Sec. N^o. 5 & 8

40.50 At gr. Sec. post at avg. dist. on true line, from which

a B. Oak 20 mi. dia. bear N43 E15 lks. dist. of

a W. do 10 " " - 40¹/₂W 29 " "

81.00 Section Corner

West Between Sec. N^o. 6 & 7, T6S. R4W

4.80 a W. Oak 15 mi. dia.

39.00 a water Course 8 lks. wide Cr. N.

40.00 At the gr. Sec. post from which

a Wild Cherry tree 10 mi. dia. bear S75W 3 lks. dist. of

a Sassafras 5 " " N75 E19¹/₂ " "

T6S. R4W. 2^d Mer. Indianach^d. lks.

- 83.00 Intersected the W. boundary 1.97 lks. N. of Sec. Cor.
 Set a post Cor. to Sect. 6 & 7, from which
 a W. Oak 10 in. dia. bears N 52 E 5 lks. dist. &
 a Cherry tree 5 " " " N 62 W 20 " "
 Hilly W. Oak timbered land underbrush Hogwood.

South Between Sec. 7 & 8, T6S. R4W

- 40.00 Set the q. Sec. post, from which
 a W. Oak 15 in. dia. bears N 28 E 11 lks. dist. &
 a Hickory 15 " " " S 36 W 22 " "
 68.00 a water course 4 lks. wide Cr. S.W.
 80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
 a W. — 10 in. dia. bears N 36 W 7 lks. dist. &
 a Hogwood 4 " " " S 36 E 2 1/2 " "
 (No description given)

East On Random between Sec. 8 & 17

- 40.00 Set temp^y. q. Sec. post
 47.00 a Brook 10 lks. wide Course N.
 80.00 Intersected the N. & S. line 9 lks. South of Sec. Corner
 Land here Spruce, Elm, Beech, Sugar tree ash and
 Oak, underbrush Spice wood

West Corrected between Sec. 8 & 17

- 40.00 Set the q. Sec. post at ang^d. dist. on true line, from which
 a W. Oak 15 in. dia. bears N 70 W 5 lks. dist. &
 a Beech 15 " " " S 25 W 8 " "
 80.00 Section Corner. November 21. 1805

West Between Sec. N^o. 7 & 18, T6S. R4W

- 6.00 a Sugar tree 10 in. dia.
 18.00 a Brook 10 lks. wide Course S.E.
 40.00 Set the q. Sec. post, from which

ch^d. lks.

a W. Oak ¹⁰ in. dia. bears S 3 1/4 W 10 lks. dist. 1/2

a Do 8 " " " S 84 W 10 " "

84.00 Intersected the N & S. line 23 1/2 lks. N. of Sec. Corner
Set a post. Cor. to Sec^s. 7 & 18, from which

a W. Oak 6 in. dia. bears S 59 E 17 lks. dist. 1/2

a Dogwood 5 " " " N 52 1/2 W 11 " "

The land on this mile is middling Soil but very
hilly, timber W. Oak, Hickory & Beech. Nov. 22^d. 1805

South Between Sections 17 & 18, T6S. R4W

6.00 a Brook 15 lks. wide Cr. S. E

21.00 a Do 8 lks. " " East

22.20 a Beech 15 in. dia.

40.00 Set the q. Sec. post, from which

a Beech - in. dia. bears S 12 E 20 lks. dist. 1/2

a Do 15 " " " N 74 W 24 " "

80.00 Set a post Cor. to Sec^s. 17, 18, 19 & 20, from which

a Hickory 15 in. dia. bears N 40 W 24 lks. dist. 1/2

a W. Oak 12 " " " S 24 E 42 " "

On the first 1/2 mile good farming Soil on the
latter (half) thin broken Oak timbered Soil, underbrush
Spiraeo

East On Random between Sec^s. 17 & 20

40.00 Set temp^y. q. Sec. post

53.00 over hilly Middling Soil to the river bottom

75.00 to Crooked Creek 15 lks. wide Cr. South

81.00 Intersected the N & S. line 23 links S. of Sec. Corner

West Corrected between Sec^s. 17 & 20

40.50 Set q. Sec. post at avg^d. dist. on true line, from which

a W. Oak 24 in. dia. bears N 36 E 10 lks. dist. 1/2

a Beech 15 " " " S 66 E 18 " "

T6S R4W. T². Mer. Indiana

ch. lks

81.00 Section Corner.

West Between Sec^s. N^o. 18 & 19, T6S R4W

12.00 a Brook 8 lks wide Course South

40.00 At the q^r. Sec. post, from which

a Beech 15 mi. diam. bears N 54 E 18 lks. dist. &

a Do 8 " " " S 15 W 11 1/2 " "

42.30 a Brook 5 lks. wide Course South

53.50 a Do 7 lks. " " South

84.40 Intersected the N. & S. line 300 N. of Sec. Corner

Set a post Cor. to Sec^s. 18 & 19, from which

a Beech 20 mi. diam. bears S 24 E 23 lks. dist. &

a Do 6 " " " N 30 1/2 E 15 " "

Land on this mile is very broken and rich, timber
Beech, Sugar tree, W. Oak & HickorySouth Between Sec^s. N^o. 19 & 20, T6S R4W

26.50 a Brook 10 lks. wide Course S. W.

40.00 At the q^r. Sec. post, from which

a W. Oak 19 mi. diam. bears N 42 E 4 lks. dist. &

a Dogwood 4 " " " S 84 W 17 " "

53.00 to the Ohio bottom Over broken rich Soil

70.24 a Beech 20 mi. diam.

80.00 Set a post Cor. to Sec^s. 19, 20, 29 & 30, from which

a Beech 10 mi. diam. bears N 21 E 12 lks. dist. &

a Gum 8 " " " S 42 E 11 " "

Land rich & level, timber Beech and Sugar tree
Some Small Cane.South Between Sec^s. 29 & 30, T6S R4W40.00 At the q^r. Sec. post on the bank of a slough 150 lks.
wide, on the N. side of it, from which

a Hackberry 15 mi. diam. bears N 43 E 19 lks. dist. &

T6S R4W 2^d. Mer. Indiana

141

Ch. 4th.

a Box Elder 10 in. dia. bears S 57^W 7 lks. dist. 1
this Slough bears N. E. & S. W.

61.41 to a Forked Elm 24 in. dia. Cor. to frac. Sec. 29 &
30 on the Ohio bank. Land rich and covered
with cane very thick.

East Between Sec. N. 20 & 29, T6S R4W

11.00 to a Slough 150 lks. wide leading N & S.

40.00 Set the q. Sec. post, from which

a Hickory 10 in. dia. bears S 29^W 6 lks. dist. &

a Blk. Walnut 10 " " " N 13 E 37 " "

47.26 Set a post on the Ohio bank Cor. to frac. Sections
N. 20 & 29, from which

a Hickory 8 in. dia. bears S 55^W 6 lks. dist. &

a Do 8 " " " N 51^W 17 " "

Soil level & rich, timber Hackberry, Beech, Locust &
Hickory, soil is covered very thick with cane.

West Between Sec. N. 19 & 30, T6S R4W

25.00 to the foot of the River hill

40.00 Set the q. Sec. post, from which

a Beech 20 in. dia. bears S 36 E 15^W lks. dist. &

a Beech 15 " " " N 14 E 33 " "

59.30 a Brook 20 lks. wide Course South

84.00 Intersected the N & S. line 386 lks. N. of Sec. Corner

Set a post Cor. to Sec. 19 & 30, from which

a Beech 24 in. dia. bears N 36 E 29 lks. dist. &

a Do 30 " " " N 45^W 36 " "

Soil Broken, timber Beech, Hickory, W. Oak and
Sugartree, underbrush Spice wood. Nov. 23. 1805

Set a post Cor. of Sec. N. 30 & 31, T6S R4W 386 lks.

North of the Cor. of Sec. 25 & 36, T6S R5W. from which

S. L. R. 4 W. 2^d. Mer. Indiana

ch. 2. lks.

a Beech 8 in. dia. beam S 48 W 16 1/2 lks. dist. of
 a B. Oak 6 " " " N 23 1/2 E 14 " " Thence
 East Between Section N^o 30 & 31
 14.00 a Brook 50 lks. wide Course South
 40.00 At the q. Sec. post, from which
 a Beech 10 in. dia. beam S 36 W 8 lks. dist. of
 a W. Ash 15 " " " N 36 E 8 " "
 42.00 to a wet swampy place 50 lks. wide leading N & S.
 58.50 to a Slough leading S 10 W & N 10 E, 150 lks. wide
 68.28 At a post Cor. to Sec. N^o 30 & 31, on the Ohio
 bank, from which
 a Hackberry 34 in. dia. beam N 15 W 21 lks. dist. of
 a Hickory 8 " " " S 3 1/2 E 15 " "
 Land rich Covered very thick with cane.

The Course of the Ohio, from the South West
 Corner of Township N^o 6 South, in Range N^o 4 W.
 Thence up the River to the S. E. Corner of the same
 Township.

N 70 E	5.00	in Sec. 31
N 59 E	8.50	
N 52 1/2 E	21.28	
N 46 E	11.58	
N 47 1/2 E	11.39	
N 43 1/2 E	17.50	
N 36 1/2 E	16.76	to the post Cor. of Sec. 30 & 31
N 37 E	7.68	in Sec. 30
N 36 1/2 E	12.50	
N 35 E	4.85	to the post Cor. of Sec. 29 & 30
N 35 E	45.34	in Sec. 29
N 41 E	19.31	

S6 L R4 M. D.th Mer. Indiana

143

Course	distance	
N48 E	9.50	
N41 E	3.94	to the Cor. of Sec. 20 & 29
N49 E	3.50	in Sec. 20
N44 1/2 E	39.50	
N36 E	7.40	to the Cor. of Sec. 20 & 21
N36 E	15.14	in Sec 21
N46 E	33.33	
N52 E	10.00	
N38 E	2.50	to the Cor. of Sec. 16 & 21
N55 E	20.00	in Sec. 16
N62 E	21.50	
N83 E	1.80	to the Corner of Sec. 15 & 16
N70 E	13.50	to the Mouth of Crooked Creek (in Sec. 15)
N70 E	6.50	
N73 E	5.00	November 24 th 1805
N74 E	26.14	at 13.00 ch. a Brook 10 ch. wide
N72 E	17.90	
N69 E	7.00	
N59 E	8.30	
N52 E	3.25	to the Cor. of Sec. 14 & 15
N60 E	7.95	in Sec. 14
N53 E	11.80	
N64 E	12.30	
N80 E	22.07	
S86 E	13.59	at 4.25 mouth of Creek 25 ch. wide
S79 E	6.84	
S60 E	4.82	to the Mouth of Anderson's River where it is
S60 E	3.00	3 chains wide

S6S R4W. 2^d. Mer. Indiana

Course	distance	
S60 E	5.00	from the upper side of the River
S61 E	2.40	to the post Cor. of Sec. 13 & 14
S56 E	20.67	In Sec. 13
S50 E	23.36	
S59 E	5.60	
S62 E	22.74	
S66 E	13.82	
S52 E	7.84	to the S.E. Cor. of the Township
In measuring from this Corner North on the East boundary, found it to be 30 chains 4 links to the half mile post.		
The Course of Anderson's River from the mouth up to the East boundary of Township N. 6 South, in Range N. 4 W. Thence		
N36 1/2 E	2.87	In Sec. 14
N30 E	9.16	
N81 E	2.00	to the N & S. line between Sec. 13 & 14
N81 E	12.07	In Sec. 13
N68 E	4.00	
N53 E	6.74	to the E & W. line between Sec. N. 12 & 13
N53 E	4.87	In Sec. 12
N37 1/2 E	9.12	
N32 E	24.91	
N24 E	7.00	
N13 1/2 E	7.28	
N11 W	4.69	
N29 1/2 W	12.38	
N5 E	2.00	to the mouth of a brook 50 lbs. wide on the W. side of the river. where is a coal bank & the river is 300 lbs. wide a small ripple

N31 E	4.80	
N44½ E	9.50	
N64 E	5.00	
East	9.00	
S62 E	2.50	
S30 E	12.91	
S37 E	15.65	(at 15 ch. a brook 10 lks. wide on the N. side) to the
N & S line the East boundary		
November 25 th 1875		
Surveyed by Arthur Hennie, L. S.		

I Certify that the foregoing transcript of field notes of Township N:6 South, of Range N:4 West of the 2^d Mer. Indiana has been compared with the Original in this office and found to be correct.

Surveyor General's Office

Cincinnati, Aug. 25. 1874

E. S. Rains Sur. Genl.